Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



open letter of information on the planting of Dick, Fish and other Game Foods in Oregon and Vicinity.

Our oganization has been sending duck foods to sportsmen for a great many years, in fact, the Terrell organization, started by my father in 1896, will have reached the age of 50 years this coming year. I took a trip out west and stopped at Oregon a few days, and was interested in studying your waters we also have a great deal of information about the results that various Oregon sportsmen and duck food planters have had with different plantings.

Thave given a good deal of study to the problems that you are confronted with, based on this information. One could write a book, or a good sized bulletin, at least, about the planting of duck foods in the different types of Oregon waters. I will just hit the high spots and give you some bulletins and other things that will help you to work out your problems.

Generally, the success of growing duck foods in Oregon has been most outstanding in the western part of the state, that is west of the Cascade standing in the western part of the state, that is west of the Cascade Range and including Klamath Lakes, westward. As an example, I might mention two of your Oregon sportsmen who have a good deal of planting done: Lewis McGeorge of the McGeorge Gravel Company at Marshfield, Oregon, and Frank C. Resse, an attorney at Astoria, Oregon.

Mr. McGeorge just wrote me last month, and I do not know as I can do better than to quote you from his letter:

"Coontail is doing almost too well in sheltered places such as the East Arm at north end of lake. Wild Celery is doing very well and distributed in many beds all over the lake. The well and celery is doing very wild Rice which was planted in the mouth of the West Arm has wild Rice which was planted in the mouth of the West Arm has made very thick growth, some of the plants are 6 to 7 feet in length and is slowly spreading south along the west shore."

— Lewis McGeorge 6-7-45.

The following is quoted from Mr. Hesse's correspondence. Mr. Hesse has been experimenting with duck foods and has been a cu tomer of ours for been experimenting with duck foods and has been a cu tomer of ours for been experimenting with duck foods and has been a cu tomer of ours for been experimenting with duck foods and has been a cu tomer of ours for been experimentally and wild Rice in these lakes, concerning which he wrote me:

"There is no question but that we got results from these Celery Plants so far as the ducks are concerned. We had many more last year and particularly the diver ducks, like the canvasbacks and year and particularly the diver ducks, like the canvasbacks and year and particularly the diver ducks, like the canvasbacks and year and particularly the diver ducks, like the canvasbacks and year and for the season, we had from 250 to 1000 canvas backs on the lake on lake, whereas heretofore wenever had any ducks on the lake on the first of January. I lay it all to this Wild Celery and for the first of January. I lay it all to this Wild Celery and for that reason we ordered 3500 more plants from you last year, which we planted this spring."

—Frank C. Hesse, 7-26-21.

Mr. C. A. Sheppard, another attorney, located at Portland 4, Oregon, who has also done a lot of experimenting, claims to find among the various duck foods, that he planted, that Ducks Meat proved most satisfactory. He also grew Wild Duck Millet to a height of 4 feet.

Generally speaking, the best results are had in hard fresh water, that warms up enough so it is comfortable to bathe in during the summer. There is a considerable advantage in growing many kinds of duck foods if there is a slow current moving through it, as most plants seem to like and thrive in fresh moving water, although they do not all require like and three in fresh moving water, although it salt water, acid waters it. There are specific plants that will grow in salt water, acid waters and the so-called "alkali" waters found frequently in the eastern part of the state. I am enclosing a chemical test kit with which a simple of the state. I am enclosing a chemical test kit with which a simple test can be made of waters to determine which one of the three types test can be made of waters to determine which one of the three types test can be made of waters to determine which one of the three types test can be made of waters to determine which one of the three types test can be made of waters to determine which one of the three types test can be made of waters to determine which one of the three types test can be made of waters to determine which one of the three types test can be made of waters to determine which one of the three types test can be made of waters to determine which one of the three types test can be made of waters to determine which one of the three types test can be made of waters to determine which one of the three types test can be made of waters to determine which one of the three types test can be made of waters and the solution of the test with which as made the solution of the test with water, and the summer of the summer of the test water, the summer of the

emed redto one deit, wood to guitasion on the planting of Dook, Fish and other Came During my first experiment in the state of Washington, I was unable to get satisfactory growth in the western part of the state from Sago Pond Plant and Wapato Duck Potato. The Sago Pond Plant seems to be quite satisfactory in the country west of the Cascade Mountains. Very good results were had with Horned Pond Plant, Widgeon Grass, Wild Celery, Elodea, and Burreed. I will now list a few plantings which I would recommend using under various combinations of water and marsh conditions. I am simply using the common names of the plants but if you wish to know their botanical names, you names of the plants, but if you wish to know their botanical names, you will find them in our folders and literature enclosed in no bess , with bulletin, at least, about the planting of duck foods in the different bulletin, at least, about the planting of duck foods in the different types of Oregon waters. I will just hit trinial to work out your problems bulletins and other things that will help you to work out your problems Horned Pond Plant
Muskgrass and negate of the Cascade Mountains in eastern Oregon) raned Sago Pond Plant (East of the Cascade Mountains in eastern Oregon, standing in the Water Standing in the Molecular waters were and including Klamath Lakes we set the Molecular to the Molecular Schreberi) level of the Molecular of the Molecular Cattails.

Cattails ON SURROUNDING HIGH LANDS (Strongly acid) mort wey story of next rested Duck Wheat acosig beretieds at flew oot tacmis gated at listacoo" WATERS OF MODERATE ALKALINITY: as I to be attend to make the East her taken as the East have been as the control of the Horned Pond Plant (Naias oflexilis); at better the sold being the Bushy Pond Plant (Naias oflexilis); at better sold as not were sold bliw Larger Bushy Pond Plant (Naias guadalupensis) were sold to the best were sold bliw Larger Bushy Pond Plant (Naias guadalupensis) were sold to the best were sold by the sold bliw Larger Bushy Pond Plant (Naias guadalupensis) were sold to the best were sold by the sold bushy Pond Plant (Naias guadalupensis) were sold by the best were sold by the made very thick growld, some south south west shows the west showlood made very thickness in length and is slowly spreading south along the west showlood the local transfer of the length and is slowly spreading south along the west showlood the local transfer of the length and is showlood to be a local transfer of the length and the local transfer of the length and the local transfer of the lo Ducks Meat — Surface Floating Ducks Meat (Spirodela & Lemna minor)

Evergreen Star Ducks Meat (Lemna trisulea)

Wild Rice (Where there is an outlet and slow change of water) offor end
Smartweeds

Wild Duck Millet of the angle of the start FOR SWIFT WATER WITH SOME ALKALINITY: SADD and as 1st of at 1st of Water Shield (Brasenia schreberi), vantotts tentons, bracceds .A.O. TM
Pickerel Plant (Pontederia cordata) itnemite and to to a send colleged
Wild Duck Millet (On shore and mud flats) so tellim word blim were called EAST-OF THE CASCADE MOUNTAINS TE stluces teed ent, considered by the control of electricities of electriciti FOR WATERS CONTAINING SOME SALT WHERE THERE IS A FOOT OR MORE WATER AT LOW TIDE: 17 VI (100 000 moritima) relucities of steets to some of so test widgeon Grass (Ruppia maritima) relucities you of even covered with the little water at High Tide and Remain ING DAMP AT LOW TIDE: FOR SALT MARSHES AND DAMP SOIL WITH HIGHER WATER OF THE STILL SOUT TO STATE OF THE STILL SOUT TO STATE OF THE STILL SOUTH WORD OF THE STILL SOUTH TO STATE OF THE STATE OF T

FOR COLD WATER: Elodea Horned Pond Plant Water Cress

In order to supply both fresh and salt water plants and plants meeting different conditions, we have properties from which we make shipments of the various varieties, in Virginia, Florida, Arkansas and Wisconsin. Our salt water material comes from the Virginia coast.

As to planting methods, we are sending you our planting directions for numerous items, under separate cover by regular mail. Complete planting directions are sent with each item ordered, usually in a tag envelope attached to the shipment.

We would appreciate your orders, which, in each case, would be sent at the time desired or at the proper time for planting with complete directions.

Yours for more wild game and better fishing,

Form Corn Later.
Slodes Rond Plant
Stor Orees

In order to supply both treeh and salt water plants and plants setting different gonditions, we have properties from which we make showents of the writing varieties, in Virginia, Floria, Arkanses and Visconsia. Ur salt water seterial comes from the Virginia orest.

An to planting methods, we are emding you our planting directions for numerous items, under separate cover by regular wail. Complete planting directions are contwite each item ordered, usually in a tag envelone attached to the animent.

the time desired or at the proper time for all with cosplete directions.

Yours for More wild game and cotter firming.